Kershaw Knives 1974-2006

Since 1974 we've been building the highest quality knives available. Our goal from the beginning was to build a "Tough as Nails" product and stand behind it.

Well, 32 years later and we're leading the industry in new product design and innovation, and we still offer our famous Limited Lifetime Guarantee.

1974 1978 1982 1986 1990 1994 199

A Master of his trade, Ken Onion, is one of the most-sought-after custom knife-makers in the industry. His custom knives can be found in the most prestigious private knife collections as well as in the pockets of his world-wide following.

When Ken was 5 years old he received his first knife. It was a cheap brand that his dad brought home from work and, after grinding off the point to make it as dull as possible, he gave it to Ken. Of course, this wasn't going to work and after countless hours of hard work on the sidewalk Ken managed to restore the point and cutting edge, only to have his dad confiscate it, scold him, and make it dull again.

Ken's early years were spent in Wellington, Ohio and Rochester, New York. When he was 12 his family moved to Palestine, West Virginia to a 213-acre farm where a teenaged Ken Onion was inspired by Vernon Ott, blacksmith and maker of garden tools and knives. In 1981, Ken graduated from high school, joined the United States Marine Corps and became a F4 Phantom mechanic for VMFA 212 out of Kaneohe Marine Corps Air Station. This move marked the beginning of Ken's quest to design the perfect knife. While stationed in Hawaii, Ken worked part time for Advance Aviation, restoring vintage aircraft. Since leaving the Corps in 1985 Ken has worked in various fields including construction, heavy equipment repair, and hydraulics repair.

In 1987 Ken moved to Anderson, South Carolina where he worked with robotics and automation for the Robert Bosch Corporation. After two years, Ken was hired by BHP Petroleum, in Hawaii and worked as a machinist and inspector. While shopping with his wife, Ken saw his first knife magazine, and after reading it from cover to cover, realized he wasn't the only enthusiast with a passion for knives. He subscribed to every knife magazine and annual available and became consumed by the knife craft. In November 1991, Ken met Stan Fujisaka, a very talented knife-maker who agreed to teach Ken the art of knife making.

After years of preparation–and some inspiration while working on a Harley cam for a friend–Ken created his first SpeedSafe® knife. Today, Ken designs a custom selection of knives for Kershaw, many featuring the patented SpeedSafe torsion bar system for assisted opening. His personal involvement throughout the design and manufacturing process ensures each knife meets his high standards for performance and quality.

Kershaw is proud to sponsor one of the world's toughest bull riders, Guilherme Marchi. Known as "Hollywood" for his star status, Guilherme is 2005's PBR World Finals Average Champion–as well as a PBR event champion in Montana, Missouri, and South Carolina. Guilherme finished the 2005 season ranked second in the world and has the highest riding percentage–66.3% –among the world's top 45 PBR bull riders.

As strong as Guilherme's 2005 season was, bull riding fans everywhere are looking for even more out of this Brazilian bull rider in 2006.

Guilherme's skill and toughness make him the right match for Kershaw's own tough and skillfully made line of products.

2002 2006

Blade Magazine's Overall Knife of the Year 2005

OFFSET

Model 1597

Steel.....Metal injection molded (MIM) 440C stainless-steel with Tungsten DLC coating
Handle...6061-T6 multi-colored anodized aluminum 3-D machined
Blade.....3 3/4 in. (9.5 cm)
Closed...5 1/4 in. (13.3 cm)
Weight...8.5 oz.

New '06 Product

The latest technology

gives birth to the newest style in the new Offset from Kershaw. The Offset's rugged and complex blade geometry is provided through state-of-the-art Metal Injection Molding (MIM) and hot isostatic pressing. It's a technique we call MITE–Metal Injection Technology with an Edge™. The result is a precision blade with two bevel geometries, hollow and flat, for incredible cutting power. Here's how MITE works: A blade mold is created and filled with a combination of powdered metal and binder. When it comes out of the mold, the blade is 20% larger than its finished size. The next stage of the process, sintering, removes the binder. Once it is sintered, the blade has reached its finished size and is at a density of 94%. Finally, the blade is HIPed under extreme pressure, approximately 32,000 psi, to increase the metal density to 99.7%.

In the Offset, this process produces a premium 440C-PM stainless-steel blade with complex, true 3-D geometry. But that's just the beginning. The Offset also features the latest SpeedSafe configuration. It's our new "Double Pumper" design and it features two torsion bars to ensure easy assisted opening for folding knives with larger blades–such as the Offset. It also offers a unique, splattered-paint handle in anodized 3-D machined aluminum.

What is SpeedSafe?

SpeedSafe® is the patented, assisted-opening system built into many of Kershaw's best-selling Ken Onion knives. SpeedSafe assists the user to smoothly open the knife with a manual push on the blade's thumb stud or Index-Open system. (Index-Open uses a protruding portion of the blade's finger guard to give the user an alternative to the thumb stud. The user manually pulls back on the protrusion with the index finger to open the blade.)

How does SpeedSafe work?

The heart of the SpeedSafe system is its torsion bar. Closed, the torsion bar helps keep the knife closed, preventing it from being opened by "gravity." In order to open the knife, the user must apply manual pressure to the thumb stud to overcome the resistance of the torsion bar. After the blade is out of the handle, the torsion bar moves along its half-moon track and takes over. The blade opens smoothly and locks into position, ready for use.

Is a SpeedSafe knife a switchblade?

NO! There are many unique features of SpeedSafe knives that make them quite different than knives that are considered switchblades. Unlike a switchblade, SpeedSafe blades DO NOT deploy with the push of a button in the handle or by gravity alone. Instead, the user must manually overcome the torsion bar's resistance—using the thumb stud or Index-Open protrusion on the blade itself—in order to engage the SpeedSafe system. Because the user must manually overcome the torsion bar's resistance, SpeedSafe knives fall fully outside the Federal definition of a switchblade. However, due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives to be aware of every restriction in every location in which our knives are sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. At Kershaw, we are proud to be able to offer this convenient, secure technology.

Who are our SpeedSafe customers?

SpeedSafe was specifically designed for sporting and work situations where one-handed opening is preferable and safer. Its safe, efficient opening has made it a popular choice for hunters, fishermen, and those who require the one-hand opening function on the job-site.

How Safe is SpeedSafe?

Very. SpeedSafe technology is designed to be safe and secure. The blade opens ONLY when the user manually deploys it using either the thumb stud or Index-Open protrusion. Once deployed, a locking system secures the blade in position so that it cannot close accidentally. When releasing the lock, the blade does not snap shut due to resentence provided by the torsion bar. This bar also provides a bias towards the closed position (which holds the blade securely closed). New SpeedSafe users can ensure safe use of the technology by practicing to proficiency.

SPEEDSAFE® TECHNOLOGY WITH AN EDGE

Kershaw SpeedSafe knives are covered by one or more pending and issued U.S. patents, including: 5,802,722; 5,815,927; 6,145,202; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; D438,085; D450,228; D454,043; D454,768; D455,062; D474,669; & D488,045.

1974 Kershaw opens for business with its no-hassle lifetime guarantee

1978 Kai Cutlery Co., Ltd. of Japan purchases Kershaw Knives and creates Kai USA Ltd.

1982 Kershaw expands line of Field knives, Folding Pocket knives, and adds its Finding Fish Fillet knives.

1984 Kershaw expands its market into Europe as Kai Cutlery Europe.

1985 Kershaw moves into its new facility in Wilsonville, Oregon.

1986 In memory of Dolby Wade Officer (1960-1984), the O.W.O. model 2000 was added to the Officer Ranch Series.

1988 O.W.O. the biggest selling small knife surprises bold new colors, Tanzanite Sheath introduced.

1990 New series added to the Kershaw product line: American Hand-Crafted Pins, Silver Tooth folders, Montage work knives, and a new line of dress knives and accessories.

1991 Kershaw's limited edition Scrimshaw originals by renowned artist Walter Alexander, expands to include hunting dogs, African wildlife, waterfowl and North American wildlife.

1994 Kershaw's ever popular Blade Trader series recovers a new handle design and the line is expanded to include a Hunter's Blade Trader and Fisherman's Blade Trader.

1995 Two new series added to Kershaw's product line: Liner Lock models and the unique Lever Action series.

1996 Alaskan Blade Trader model 1094A, with patented gut-hook Skinning Blade added to line.

1997 Kershaw introduces the Multi-Tool, model 1000C, and obtains patents on its unique, adjustable locking cover.

SPEED BUMP

Kershaw locking liner, stud-lock and lock back knives are covered by one or more pending and issued U.S. patents, including: 6,338,431; 6,378,214; 6,427,334; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; and D479,114.

SPEED•BUMP

Model 1595

Steel.....Sandvik 13C26 stainless-steel
Handle...Double injection-molded Akulon® with Santoprene® over-mold
Blade.....3 5/8 in. (9.2 cm)
Closed...4 15/16 in. (12.5 cm)
Weight...5.0 oz.

SPEEDSAFE®
TECHNOLOGY WITH AN EDGE

SPEC•BUMP

Model 1596

Steel.....S30V stainless-steel with Tungsten DLC coating
Handle...Black G-10, 3-D machined
Blade.....3 5/8 in. (9.2 cm)
Closed...4 15/16 in. (12.5 cm)
Weight...5.2 oz.

New 06 Product

Next Generation Blade Design & a New SpeedSafe On/Off Option

Ken Onion's innovative Bump "re-curve" blade–found on our new Spec Bump and Speed Bump–is designed for minimal mass, maximum performance, and multi-tasking efficiency. These unique blades offer ideal leverage in tough cutting situations and a precisely centered point to handle piercing tasks. For 2006, Ken combines another high-performance blade shape with our new SpeedSafe On/Off option in the Cyclone and Mini Cyclone. The new Cyclones offer the ability to enable or disable the SpeedSafe function. Set it one way and you get fully manual operation.

2002 2006

CYCLONE
Model 1630
Steel.....Sandvik 13C26 stainless-steel
Handle...6061-T6 anodized aluminum
Liner.....410 stainless-steel
Blade.....3 3/4 in. (9.5 cm)
Closed...5 in. (12.6 cm)
Weight...6.3 oz.

CYCLONE
Model 1630ST
Steel.....Sandvik 13C26 stainless-steel
Handle...6061-T6 anodized aluminum
Liner.....410 stainless-steel
Blade.....3 3/4 in. (9.5 cm)
Closed...5 in. (12.6 cm)
Weight...6.3 oz.

SPEEDSAFE® ON/OFF

MINI CYCLONE
Model 1635
Steel.....Sandvik 13C26 stainless-steel
Handle...6061-T6 anodized aluminum
Liner.....410 stainless-steel
Blade.....3 3/16 in. (8.1 cm)
Closed...4 1/4 in. (10.8 cm)
Weight...5.3 oz.

BLACK CYCLONE
Model 1630BLKST
Steel.....Sandvik 13C26 stainless-steel with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
Liner.....410 stainless-steel
Blade.....3 3/4 in. (9.5 cm)
Closed...5 in. (12.6 cm)
Weight...6.3 oz.

MINI CYCLONE
Model 1635ST
Steel.....Sandvik 13C26 stainless-steel
Handle...6061-T6 anodized aluminum
Liner.....410 stainless-steel
Blade.....3 3/16 in. (8.1 cm)
Closed...4 1/4 in. (10.8 cm)
Weight...5.3 oz.

Set it the other and the SpeedSafe system engages to assist blade opening smoothly and easily. Either way, you get the styling, precision, and performance you expect–and deserve–from Ken Onion and Kershaw.

CYCLONE ON/ON
Ambidextrous Opening

1974 1978 1982 1986 1990 1994

Blade Magazine's Most Innovative American Made Knife of the Year 2005

E.T.
Model 1900ST
Steel.....Sandvik 13C26 stainless-steel with bead-blasted finish
Handle...6061-T6 anodized aluminum
Blade.....3 1/4 in. (8.3 cm)
Closed...4 3/4 in. (12.1 cm)
Weight...3.7 oz.
Includes carabiner clip and bottle opener

E.T.
Model 1900
Steel.....Sandvik 13C26 stainless-steel with bead-blasted finish
Handle...6061-T6 anodized aluminum
Blade.....3 1/4 in. (8.3 cm)
Closed...4 3/4 in. (12.1 cm)
Weight...3.7 oz.
Includes carabiner clip and bottle opener

E.T.
DESIGNED BY GRANT AND GAVIN HAWK

E.T. (URBAN CAMO)
Model 1900UCBLK
Steel.....Sandvik 13C26 stainless-steel with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
Blade.....3 1/4 in. (8.3 cm)
Closed...4 3/4 in. (12.1 cm)
Weight...3.7 oz.
Includes carabiner clip and bottle opener

Precision, Performance, & Impressive Styling

It's called the E.T. But not for its out-of-this-world looks. E.T. stands for External Toggle.

The External Toggle is Kershaw newest technology for deploying and securing a blade. And it offers a number of unique benefits–like extreme security.

Fold the blade in, engage the safety, and the blade is secure no matter how or where you carry it.

2002

2006

RIPCORD

Model 3200

Steel.....Sandvik 13C26 stainless-steel with Tungsten DLC coating
Handle...6061-T6 anodized aluminum with Trac-Tec inserts
Blade.....3 7/16 in. (8.6 cm)
Closed...4 3/8 in. (11.1 cm)
Weight...4.2 oz.
Includes belt clip with deployment knob

To Deploy the Blade:

1. Grasp the handle.
2. Rotate the handle 80-100 degrees until the handle is horizontal
3. Slide the handle to the rear.
4. Remove from knob on clip

Blade is now deployed, locked and ready for use.

To Retract the Blade:

1. Hold the knife horizontally with the slot towards the clip's protruding knob.

2. Locate the large opening at the end of the slot on the handle. Firmly press the knife against the knob at this location (the knob will enter the opening and cause the lock function to disengage).
3. Slide the handle forward until a positive stop is noticed (this action will cause the blade to retract into the handle).
4. Rotate the handle downward to a vertical position, or simply let go of the handle.

Blade is now safety stored in the handle.

New 06 Products

Another unique entry is the Ripcord. The Ripcord's patented design lets you store it in the space of a folding knife, yet it provides the strength and stability of a fixed blade knife. With Kershaw's "Out the Front" (OTF) design the blade slides out the front of the handle into a secure, fixed-blade position. To store it, just reverse the process.

1974 1978 1982 1986 1990 1994 19

CHIVES

Ambidextrous Opening

CHIVE
Model 1600
Steel.....420HC stainless-steel
Handle...410 stainless-steel
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

CHIVE
Model 1600BR
(Black & Red)
Steel.....420HC stainless-steel
Handle...6061-T6 anodized aluminum with smoked finish
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

CHIVE
Model 1600BB
(Black & Blue)
Steel.....420HC stainless-steel
Handle...6061-T6 anodized aluminum with smoked finish
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

CHIVE
Model 1600BW
(Black & White)
Steel.....420HC stainless-steel
Handle...6061-T6 anodized aluminum with smoked finish
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

SPEEDSAFE
TECHNOLOGY WITH

Small, Powerful, & Pocket-Perfect Chives

Kershaw's popular Chives come in a variety of technologically advanced handle finishes–one sure to suit you.

Choose from bead-blasted stainless steel, Boron Carbide, or our handsome "smoked" anodized aluminum finish in three colors. The Chive also comes in Jeep's "Cracked Mud" design or our handsome "Rainbow Trout."

The 3-D images are applied using a unique new photographic process that permanently transfers the image to the anodized aluminum handles. All Chives share Ken Onion's distinctive styling and the SpeedSafe ambidextrous opening system. For ease of carrying, they also include a removable pocket clip.

RAINBOW CHIVE
Model 1600VIB
Steel.....420HC stainless-steel
titanium-oxide coated
Handle...410 stainless-steel
titanium-oxide coated
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.
Includes gift tin

BLACK CHIVE
Model 1600BLK
Steel.....420HC stainless-steel
Boron Carbide-coated
Handle...410 stainless-steel
Boron-coated
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.
Includes gift tin

2001 Blade Magazine's American Made Knife of the Year

POLISHED CHIVE
Model 1600SS
Steel.....420HC stainless-steel
highly polished
Handle...410 stainless-steel
highly polished
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.
Includes gift tin

New 06 Product

AFE® AN EDGE

CHIVE
Model 1600TROUT
(Rainbow Trout)
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

CHIVE
Model 1600JEEP
(Cracked Mud)
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

SpeedSafe® is the patented, assisted-opening system built into many of Kershaw's best-selling Ken Onion knives. SpeedSafe assists the user to smoothly open the knife with a manual push on the blade's thumb stud or Index-Open system.

Removable Pocket Clip
The Chive handles are drilled for a tip-down clip carry, or the clip can be removed completely.

Tip Safety Lock
The tip lock available on many of the Ken Onion SpeedSafe models provides added security to assure that the blade will not deploy while clipped into your pocket.

kershaw® Ken Onion USA

1974 1978 1982 1986 1990 1994

SCALLION
Model 1620
Steel.....AZOHC stainless-steel
Handle...Polyimide
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620C
(Camouflage)
Steel.....AZOHC stainless-steel
Handle...6061-T6 anodized-aluminum
RealTree® Hardwoods HD
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620ST
Steel.....AZOHC stainless-steel
Handle...Polyimide
Blade.....2 1/4 in. (5.8 cm)
partially serrated
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620TROUT
(Rainbow Trout)
Steel.....AZOHC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLIONS
Ambidextrous Opening

SCALLION
Model 1620JEEP
(Rubicon Trail)
Steel.....AZOHC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

Scallions with Bite

New 06

Kershaw's Ken Onion Scallions are designed to meet the needs of the knife user who wants SpeedSafe technology in a smaller carrying knife. Naturally, all Scallions feature SpeedSafe ambidextrous assisted opening, plus our secure locking liner.

They also feature an enormous range of handle designs. Choose from basic black polyamide, colorful anodized-aluminum, or our 3-D photographic images. The colors are created in the anodizing process, hardening the aluminum and producing a porous, oxide coating that can absorb dyes. The images are applied in a unique new photographic process that permanently transfers the image to the handles. The colors and images are not only great looking, but durable and scratch-resistant, too.

SCALLION
Model 1620BL
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620BLST
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
partially serrated
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620RD
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620RDST
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
partially serrated
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620GRN
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SCALLION
Model 1620GRNST
Steel.....420HC stainless-steel
Handle...6061-T6
anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
partially serrated
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

SPEEDSAFE®
TECHNOLOGY WITH AN EDGE



LEEKS

Ambidextrous Opening

LEEK

Model 1660ST

Steel.....440A stainless-steel
Handle...410 stainless-steel
Blade.....3 in. (7.5 cm)
partially serrated
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660CKTST

Steel.....440A stainless-steel
tungsten DLC coated
Handle...410 stainless-steel
tungsten DLC coated
Blade.....3 in. (7.5 cm)
partially serrated
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660

Steel.....440A stainless-steel
Handle...410 stainless-steel
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660CKT

Steel.....440A stainless-steel
tungsten DLC coated
Handle...410 stainless-steel
tungsten DLC coated
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

G-10 LEEK

Model 1660G10

Steel.....S30V stainless-steel
Handle...Textured black G-10
Liner.....410 Stainless-steel
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...2.3 oz.

Kershaw's Ken Onion Leeks with SpeedSafe®

Our popular Leeks come in a variety of handle styles with technologically advanced coatings–one sure to suit you.

Choose from bead-blasted stainless steel, Titanium-nitride, or our handsome "smoked" anodized aluminum finish in three colors. Please note that due to the nature of the double-anodizing process, which produces the smoked finish, no two knives are ever exactly alike. Yet, all share Ken Onion's distinctive styling and the SpeedSafe ambidextrous opening system and include a reversible/removable pocket clip.

LEEK

Model 1660BR

(Black & Red)

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
with smoked finish
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660BW

(Black & White)

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
with smoked finish
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660TROUT

(Rainbow Trout)

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660BB

(Black & Blue)

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
with smoked finish
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

LEEK

Model 1660JEEP

(Oregon Coast)

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

RAINBOW LEEK

Model 1660VIB

Steel.....440A stainless-steel titanium-oxide coated
Handle...410 stainless-steel titanium-oxide coated
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.
Includes soft zipper case



CENTOFANTE-ONION

Model 1610

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
Blade.....2 1/4 in. (5.7 cm)
Closed...3 1/8 in. (7.9 cm)
Weight...1.6 oz.
Includes pocket clip

CENTOFANTE-ONION

Model 1615

Steel.....440A stainless-steel
Handle...410 polished stainless-steel with Tungsten DLC coating & Pearl inlays
Blade.....2 1/4 in. (5.7 cm)
Closed...3 1/8 in. (7.9 cm)
Weight...2.4 oz.
Includes pocket clip

MINI MOJO

Model 1800

Steel.....440A stainless-steel
Handle...410 stainless-steel with G-10 insert
Blade.....2 3/8 in. (6.1 cm)
Closed...3 1/2 in. (8.9 cm)
Weight...3.1 oz.

BOA

Model 1580

Steel.....S30V stainless-steel Tungsten DLC coated
Handle...6061-T6 anodized aluminum
Blade.....3 3/8 in. (8.6 cm)
Closed...4 3/4 in. (12 cm)
Weight...4.9 oz.

BOA

Model 1580ST

Steel.....S30V stainless-steel Tungsten DLC coated
Handle...6061-T6 anodized aluminum
Blade.....3 3/8 in. (8.6 cm) partially serrated
Closed...4 3/4 in. (12 cm)
Weight...4.9 oz.

BABY BOA

Model 1585BR

Steel.....440A stainless-steel with high polish finish
Handle...6061-T6 anodized aluminum with smoked finish
Blade.....2 in. (5.1 cm)
Closed...2 3/4 in. (7.0 cm)
Weight...1.7 oz.

Kershaw's SpeedSafe Folders

From the sleek Centofante-Onion and Mini Mojo to our big, bold folders, Kershaw offers a wide selection of popular SpeedSafe knives. On the compact end of the spectrum are the Centofante-Onion, co-designed by Frank Centofante and Ken Onion, along with the Baby Boa and Mini Mojo from Ken Onion. On the larger end of the scale, Kershaw offers popular Ken Onion folders like the Blackout, Whirlwind, and Avalanche.

All fit the hand perfectly, are engineered to perform without unnecessary weight, and are built to handle a huge variety of tasks. Whichever you choose, you get Kershaw's renowned style, precision, and performance.

BLACKOUT

Model 1550

Steel.....440A stainless-steel
Tungsten DLC coated
Handle...Polyimide
Blade.....3 1/4 in. (8.4 cm)
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

BLACKOUT

Model 1550ST

Steel.....440A stainless-steel Tungsten DLC coated
Handle...Polyimide
Blade.....3 1/4 in. (8.4 cm) partially serrated
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

WHIRLWIND

Model 1560

Steel.....440A stainless-steel
Handle...Polyimide
Blade.....3 1/4 in. (8.4 cm)
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

WHIRLWIND

Model 1560ST

Steel.....440A stainless-steel
Handle...Polyimide
Blade.....3 1/4 in. (8.4 cm) partially serrated
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

Rocky Mountain Elk Foundation

06

WHIRLWIND

Model 1560RMEF

Steel.....440A stainless-steel
Handle...Injection-molded Polyimide with
RealTree® Hardwoods HD
Blade.....3 1/4 in. (8.4 cm)
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

AVALANCHE

Model 1570

Steel.....S30V stainless-steel
Tungsten DLC coated
Handle...G-10
Blade.....3 1/8 in. (7.9 cm)
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

AVALANCHE

Model 1570ST

Steel.....S30V stainless-steel
Tungsten DLC coated
Handle...G-10
Blade.....3 1/8 in. (7.9 cm)
partially serrated
Closed...4 1/2 in. (11.3 cm)
Weight...3.5 oz.

SPEEDSAFE®
TECHNOLOGY WITH AN EDGE



BLUR

Model 1670RD

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

BLUR

Model 1670RDST

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

SILVER BLUR

Model 1670SG10

Steel.....440A stainless-steel,
with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

Kershaw's SpeedSafe Blurs are Turning Heads

Looking for top performance and attention getting style? Look to the Kershaw Ken Onion Blur series. Kershaw combines SpeedSafe with Trac-Tec inserts for fast response and a secure grip. Inlayed in our lightweight aluminum handles, the rough Trac-Tec material provides a non-slip grip even in wet and slippery conditions.

The new G-10 Blur is a real head-turner, too. It features SpeedSafe technology, premium blade steel, and aluminum handles accented with striking "Silver Twill" G-10 inlays. Naturally, the G-10 inlay not only looks good, but provides function too. It offers superior mechanical and dimensional stability and enhances a sure grip even in a variety of conditions.

TANTO BLUR
Model 1670TBLKST

Steel.....440A stainless-steel,
with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
partially serrated Tanto
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

BLACK BLUR
Model 1670BLK

Steel.....440A stainless-steel,
with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

SPEEDSAFE®
TECHNOLOGY WITH AN EDGE

BLURS
Ambidextrous Opening

BLACK BLUR
Model 1670BLKST

Steel.....440A stainless-steel,
with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

kershaw®
Ken Onion USA

RESCUE BLURS

Ambidextrous Opening

RESCUE BLUR

Model 1675RDST

Steel.....440A stainless-steel
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

SPEEDSAFE®
TECHNOLOGY WITH AN EDGE

RESCUE BLUR

Model 1675BLKST

Steel.....440A stainless-steel,
with Tungsten DLC coating
Handle...6061-T6 anodized aluminum
with Trac-Tec inserts
Liner.....410 stainless steel
Blade.....3 3/8 in. (8.6 cm)
partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.2 oz.

Rescue & Emergency Situations Call for Quick Action

Ideal for extreme situations, this collection of Blurs and Responders offers power and performance.

SpeedSafe-equipped Rescue Blurs have rounded-tip blades for safer cutting in close or dangerous situations.

Non-slip Trac-Tec handle inserts provide a secure grip. Rescue Blurs also feature a carbide glass-breaker tip for emergency use.

RESPONDER

Model 1078

Steel.....AUS8A stainless-steel with Black Teflon® coating
Handle...Double injection-molded Santoprene®
Blade.....3 3/4 in. (9.8 cm)
Overall...8 3/4 in. (22.3 cm)
Weight...4.8 oz.
Includes Kydex® sheath

RESPONDER

Model 1078YL

Steel.....AUS8A stainless-steel with Black Teflon® coating
Handle...Double injection-molded Santoprene®
Blade.....3 3/4 in. (9.8 cm)
Overall...8 3/4 in. (22.3 cm)
Weight...4.8 oz.
Includes Kydex® sheath

The new Responder features a fixed blade with full-tang construction and a non-slip Santoprene® handle. The partially serrated blade and cutting hook zip through most material with ease–including line, webbing, clothing and seat belts–but the tip is blunt for safety. The multi-function Kydex® sheath offers multiple carry options and has both cord eyelets and strap slots.

kershaw® KNIVES

STORM

Model 1470

Steel.....Sandvik 13C26 stainless-steel
Handle...410 stainless-steel
with Trac-Tec inserts
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...4.2 oz.

STORM

Model 1470ST

Steel.....Sandvik 13C26 stainless-steel
Handle...410 stainless-steel with Trac-Tec inserts
Blade.....3 in. (7.5 cm) partially serrated
Closed...4 in. (10.3 cm)
Weight...4.2 oz.

kershaw®
Ken Onion USA

STORM

Thumb Stud Opening

VAPOR

Model 1640ST

Steel.....AUS6A stainless-steel
Handle...410 stainless-steel
Blade.....3 in. (7.5 cm)
partially serrated
Closed...4 in. (10.3 cm)
Weight...3.25 oz.

VAPOR

Model 1640

Steel.....AUS6A stainless-steel
Handle...410 stainless-steel
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.25 oz.

BLACK VAPOR

Model 1640BLK

Steel.....AUS6A stainless-steel Ti-nitride coated
Handle...410 stainless-steel Ti-nitride coated
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.25 oz.

BLACK VAPOR

Model 1640BLKST

Steel.....AUS6A stainless-steel
Ti-nitride coated
Handle...410 stainless-steel
Ti-nitride coated
Blade.....3 in. (7.5 cm)
partially serrated
Closed...4 in. (10.3 cm)
Weight...3.25 oz.

Onion Styling in Thumb Stud Opening Knives

For knife users who want a quality knife at a value price, Kershaw's Storm and Vapor lines of folding knives provide the answer. All Vapor models feature a sleek, high-tech look combined with super-smooth one-handed, manual opening. The stainless-steel handles are decoratively drilled for an industrial-tech look. This open construction provides for a strong, yet airy, design. Choose from two sizes and two finishes; bead-blasted stainless steel or Titanium-nitride coated stainless. The Storms, in two sizes, provide rugged styling with sure-grip Trac-Tec handle inserts. Whichever you choose, these everyday carrying knives offer plenty of flair.

STORM II

Model 1475

Steel.....Sandvik 13C26 stainless-steel
Handle...410 stainless-steel
with Trac-Tec inserts
Blade.....3 1/2in. (8.4 cm)
Closed...4 3/4in. (12.0 cm)
Weight...5.8 oz.

STORM II

Model 1475ST

Steel.....Sandvik 13C26 stainless-steel
Handle...410 stainless-steel with Trac-Tec inserts
Blade.....3 1/2in. (8.4 cm) partially serrated
Closed...4 3/4in. (12.0 cm)
Weight...5.8 oz.

VAPOR II

Model 1650ST

Steel.....AUS6A stainless-steel
Handle...410 stainless-steel
Blade.....3 1/2 in. (9. cm)
partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.5 oz.

VAPOR II

Model 1650

Steel.....AUS6A stainless-steel
Handle...410 stainless-steel
Blade.....3 1/2 in. (9. cm)
Closed...4 1/2 in. (11.5 cm)
Weight...4.5 oz.

BLACK VAPOR II

Model 1650BLK

Steel.....AUS6A stainless-steel Ti-nitride coated
Handle...410 stainless-steel Ti-nitride coated
Blade.....3 1/2 in. (9. cm)
Closed...4 1/2 in. (11.5 cm)
Weight...4.5 oz.

BLACK VAPOR II

Model 1650BLKST

Steel.....AUS6A stainless-steel, Ti-nitride coated
Handle...410 stainless-steel, Ti-nitride coated
Blade.....3 1/2 in. (9. cm) partially serrated
Closed...4 1/2 in. (11.5 cm)
Weight...4.5 oz.

SAPPHIRE

Model 1450

Steel.....AUS8A stainless-steel
Liners....410 stainless-steel
Handle...Titanium
Blade.....3 in. (7.6 cm)
Closed...4 in. (10.0 cm)
Weight...2.3 oz.
Removable pocket clip

SPLINTER

Model 1460

Steel.....AUS8A stainless-steel
Liners....420 stainless-steel
Handle...Quince wood
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...2.3 oz.

SPLINTER

Model 1460BR

Steel.....AUS8A stainless-steel
Liners....420 stainless-steel
Handle...Smoked anodized
aircraft aluminum
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...2.3 oz.

SPLINTER

Model 1460BRST

Steel.....AUS8A stainless-steel
Liners....420 stainless-steel
Handle...Smoked anodized
aircraft aluminum
Blade.....3 in. (7.5 cm)
partially serrated
Closed...4 in. (10.3 cm)
Weight...2.3 oz.

Style or Cutting Power? There's No Need to Choose with these Premium Pocket Knives!

Kershaw offers a handsome selection of folding knives that combine great style with the quality and precision of Kershaw manufacturing. Choose the Splinter, Sapphire, or Nakamura for a dress knife that's dressed for success. The Splinter Model 1460 and the Nakamura feature variegated Quince wood handles. The Sapphire offers a sapphire-blue titanium handle. Or choose our one-of-a-kind Splinter with its "smoked" anodized aluminum handle.

HAKAMURA

Model 1480

Steel.....Clad VG10 stainless-steel
center core with 420J2 outer layers
Handle...Quince wood
Bolster...Mokume style (10 layers):
SUS410 stainless-steel (base layer)
Copper (5 layers) Brass (4 layers)
Blade.....2 7/8 in. (7.3 cm)
Closed...3 7/8 in. (10.0 cm)
Weight...3.2 oz.

STEVEN SEAGAL

Model 1680

Steel.....AUS8A stainless-steel
Handle...anodized aluminum,
Stingray inlay
Blade.....3 5/8 in. (9.4 cm)
Closed...5 in. (12.6 cm)
Weight...5.5 oz.

STEVEN SEAGAL

Model 1680ST

Steel.....AUS8A stainless-steel
Handle...anodized aluminum,
Stingray inlay
Blade.....3 5/8 in. (9.4 cm)
partially serrated
Closed...5 in. (12.6 cm)
Weight...5.5 oz.

Steven Seagal Knife

Take a look at the Steven Seagal folder, co-designed by Ken Onion and Steven Seagal. This handsome, rugged knife features one-handed opening and anodized aluminum handles with very cool, stingray-leather inserts.

kershaw®
KNIVES



SQUAW CREEK

Model 2150

Steel.....AUS6A stainless-steel
Handle...Satin-finish, rosewood inlay
Blade.....2 in. (5.1 cm)
Closed...2 5/8 in. (6.8 cm)
Weight...1.4 oz.

SHOTGUN SHELL

Model 12GAD

Steel.....AUS6A stainless-steel
Handle...Polished brass bolsters, rosewood
Blade-A..2 in. (5.1 cm) non-locking
Blade-B..2 in. (5.1 cm) non-locking screwdriver/file
Closed...2 5/8 in. (6.7 cm)
Weight...1.2 oz.

INDIAN FORD

Model 2155

Steel.....AUS6A stainless-steel
Handle...Satin-finish, rosewood inlay
Blade.....2 5/8 in. (6.9 cm)
Closed...3 1/2 in. (8.9 cm)
Weight...2.7 oz.

DOUBLE CROSS

Model 4380

Steel.....AUS6A stainless-steel
Handle...Polished bolsters, staminawood inlay
Blade-A..2 3/8 in. (5.9 cm)
Blade-B..1 7/8 in. (4.7 cm)
Closed...3 1/2 in. (8.9 cm)
Weight...2.2 oz.

WHISKEY GAP

Model 4100

Steel.....AUS6A stainless-steel
Handle...Satin-finished bolsters, rosewood inlay
Blade.....2 1/4 in. (5.9 cm)
Closed...3 1/8 in. (7.9 cm)
Weight...1.9 oz.

WILD TURKEY

Model 4150

Steel.....AUS6A stainless-steel
Handle...Satin-finished bolsters, rosewood inlay
Blade.....3 1/8 in. (7.9 cm)
Closed...3 7/8 in. (10.0 cm)
Weight...2.2 oz.

DOUBLE DUTY

Model 4390

Steel.....AUS6A stainless-steel
Handle...Polished bolsters, staminawood inlay
Blade-A..2 3/4 in. (7.1 cm)
Blade-B..2 5/8 in. (6.7 cm)
Closed...4 1/8 in. (10.5 cm)
Weight...3.1 oz.

Gentlemen, Start Your Engines

Kershaw brings innovation and quality to this selection of classic gentlemen's knives. Choose one of our timeless designs with genuine wood, stainless steel or aluminum handles. Either way, you can always count on Kershaw's quality because every knife is precision crafted to our renowned fit and finish. Any one of them would make an ideal companion for pocket or briefcase. We also offer a selection of

LFK

Model 1700

Steel.....AUS6A stainless-steel
Handle...anodized aluminum
Blade.....2 1/8 in. (5.4 cm)
locking liner
Closed...3 in. (7.6 cm)
Weight...1.1 oz.

LFK

Model 1700JEEP

Steel.....AUS6A stainless-steel
Handle...anodized aluminum
Blade.....2 1/8 in. (5.4 cm)
locking liner
Closed...3 in. (7.6 cm)
Weight...1.1 oz.

MONEY CLIP

Model 6400

Steel.....AUS6A stainless-steel
Handle.....Satin finished bolster,
Rosewood inlay
Blade.....1 5/8 in. (4.1 cm)
Scissors...1 5/8 in. (4.1 cm)
Nail file....1 5/8 in. (4.1 cm)
Closed.....2 in. (5.4 cm)
Weight.....1.2 oz.

KEY CHAIN

Model 6500

Steel.....AUS6A stainless-steel
Handle.....Satin finished bolster,
Rosewood inlay
Blade.....1 5/8 in. (4.1 cm)
Scissors...1 5/8 in. (4.1 cm)
Nail file....1 5/8 in. (4.1 cm)
Closed.....2 in. (5.4 cm)
Weight.....1.2 oz.

SILVER SPUR

Model 2800

Steel.....AUS6A stainless-steel
Handle...aluminum
Blade.....1 7/8 in. (4.7 cm)
Closed...2 1/2 in. (6.4 cm)
Weight...0.6 oz.

SILVER SPUR II

Model 2825

Steel.....AUS6A stainless-steel
Handle...aluminum
Blade.....2 1/4 in. (5.7 cm)
Closed...3 in. (7.6 cm)
Weight...0.9 oz.

STAINLESS STEEL POCKET KNIFE

Model 5000

Steel.....420J2 stainless-steel
Blade.....1 3/4 in. (4.5 cm)
Closed...2 1/4 in. (5.9 cm)
Weight...1.1 oz.

STAINLESS STEEL POCKET KNIFE

Model 5200S

Steel.....420J2 stainless-steel
Blade.....2 3/8 in. (6.0 cm)
Closed...3 in. (7.6 cm)
Weight...1.7 oz.

executive accessories, including our Money Clip and Key Chain Knife and the clever Shotgun Shell pocketknife. These are classic knives and accessories you'll be proud to carry. They'll be appreciated as gifts, too.



LINER ACTION

Model 2415

Steel.....AUS6A stainless-steel
Handle...Die-cast-aluminum
co-polymer inlays
Blade.....2 7/8 in. (7.5 cm)
Closed...3 3/4 in. (9.6 cm)
Weight...2.0 oz.

LINER ACTION

Model 2415ST

Steel.....AUS6A stainless-steel
Handle...Die-cast-aluminum
co-polymer inlays
Blade.....2 7/8 in. (7.5 cm)
partially serrated
Closed...3 3/4 in. (9.6 cm)
Weight...2.0 oz.

LINER ACTION

Model 2420

Steel.....AUS6A stainless-steel
Handle...Die-cast-aluminum
co-polymer inlays
Blade.....3 1/2 in. (9.0 cm)
Closed...4 1/2 in. (11.8 cm)
Weight...3.3 oz.

LINER ACTION

Model 2420ST

Steel.....AUS6A stainless-steel
Handle...Die-cast-aluminum
co-polymer inlays
Blade.....3 1/2 in. (9.0 cm)
partially serrated
Closed...4 1/2 in. (11.8 cm)
Weight...3.3 oz.

High-Performance, Hard-Working Knives

Kershaw's Liner Action knives feature light, strong die-cast aluminum frames, razor-sharp blades, and our secure locking liner. The liner holds the quality blade securely in place, yet releases easily when they're ready for use.

Our Liner Action models also include a convenient thumb stud for one-handed opening. All models except the 2410 and 2410ST include a removable pocket clip.

Our Western Style knives are sturdy work knives, pure and simple. They're designed to perform and they've proven themselves again and again. All Kershaw Western Style knives feature a locking back for safety.

GRANT COUNTY

Model 3100

Steel.....AUS6A stainless-steel
Handle...Zinc die-cast alloy,
cross-grooved ABS inlay
Blade.....1 7/8 in. (4.9 cm)
Closed...2 5/8 in. (6.8 cm)
Weight...1.2 oz.

CORRAL CREEK

Model 3115

Steel.....AUS6A stainless-steel
Handle...Zinc die-cast alloy,
cross-grooved
ABS inlay
Blade.....2 1/2 in. (6.2 cm)
Closed...3 3/8 in. (8.6 cm)
Weight...2.2 oz.

WILDCAT RIDGE

Model 3140

Steel.....AUS6A stainless-steel
Handle...Zinc die-cast alloy,
cross-grooved ABS inlay
Blade.....3 1/2 in. (9.0 cm)
Closed...4 7/8 in. (12.5 cm)
Weight...4.3 oz.
Includes black nylon sheath

BLACK GULCH

Model 3120

Steel.....AUS6A stainless-steel
Handle...Zinc die-cast alloy,
cross-grooved ABS inlay
Blade.....3 in. (7.6 cm)
Closed...4 1/8 in. (10.5 cm)
Weight...4.3 oz.
Includes black nylon sheath

WORK KNIVES

BLACK COLT II

Model 1045A

Steel.....440A stainless-steel
Handle...co-polymer
Blade.....3 in. (7.5 cm)
Closed...4 1/8 in. (10.4 cm)
Weight...3.5 oz.
Includes nylon sheath

BLACK HORSE II

Model 1060A

Steel.....440A stainless-steel
Handle...co-polymer
Blade.....3 3/4 in. (9.8 cm)
Closed...4 7/8 in. (12.5 cm)
Weight...4.6 oz.
Includes nylon sheath

Classic Work Knives with Sure-Grip Handles

These work-tough knives are built to dish it out and to take it. They're the ideal companions for pocket, glove compartment, toolbox, or truck box. Each features a resilient co-polymer handle that ensures a secure grip in most any

BLACK HORSE II

Model 1060ART

Steel.....440A stainless-steel
Handle...co-polymer with RealTree® Hardwoods HD
Blade.....3 3/4 in. (9.8 cm)
Closed...4 7/8 in. (12.5 cm)
Weight...4.6 oz.
Includes nylon sheath with RealTree® Hardwoods HD

WORK KNIVES

D.W.O. II
Model 3002
Steel.....AUS6A stainless-steel
Handle...Co-Polymer
Blade.....2 in. (5.1 cm)
Closed...2 5/8 in. (6.6 cm)
Weight...0.8 oz.

D.W.O. CLASSIC
Model 3000
Steel.....AUS6A stainless-steel
Handle...Co-Polymer
Blade.....2 3/8 in. (6.1 cm)
Closed...3 1/4 in. (8.4 cm)
Weight...1.6 oz.

D.W.O. CLASSIC
Model 3000OR
Steel.....AUS6A stainless-steel
Handle...Co-Polymer
Blade.....2 3/8 in. (6.1 cm)
Closed...3 1/4 in. (8.4 cm)
Weight...1.6 oz.

D.W.O. CLASSIC
Model 3000BL
Steel.....AUS6A stainless-steel
Handle...Co-Polymer
Blade.....2 3/8 in. (6.1 cm)
Closed...3 1/4 in. (8.4 cm)
Weight...1.6 oz.

D.W.O. CLASSIC
Model 3000RD
Steel.....AUS6A stainless-steel
Handle...Co-Polymer
Blade.....2 3/8 in. (6.1 cm)
Closed...3 1/4 in. (8.4 cm)
Weight...1.6 oz.

outdoor condition– from desert hot and dry to monsoon wet. To easily spot your knife when you need it, choose one of our colorful DWO Classics. For a more subtle look, try classic black or our RealTree® Hardwoods camouflage. The lock back ensures each blade locks safely into position and releases easily when needed.

AMPHIBIAN

Model 1006K

Steel.....420J2 stainless-steel
Handle...420J2 stainless-steel, skeleton with co-polymer insert
Blade.....3 3/4 in. (9.5 cm)
Overall...7 3/4 in. (19.7 cm)
Weight...3.2 oz.
Includes Kydex® multi-function sheath with leg straps

SEA HUNTER

Model 1008

Steel.....420J2 stainless-steel
Handle...Injection-molded neon plastic, with co-polymer
Blade.....3 3/4 in. (9.5 cm) partially serrated, cord cutter
Overall...7 3/4 in. (19.7 cm)
Weight...3.0 oz.
Includes Kydex® multi-function sheath with leg straps

SEA HUNTER

Model 1008BL-P

Steel.....420J2 stainless-steel
Handle...Injection-molded neon plastic, with co-polymer
Blade.....3 1/2 in. (9.0 cm) blunt-tip, double-edged, partially serrated, cord cutter
Overall...7 5/8 in. (19.5 cm)
Weight...3.0 oz.
Includes Kydex® multi-function sheath with leg straps

On Land or Sea, these Specialty Fixed Blades Rule

TROOPER™

Model 1007

Steel.....AUS8A stainless-steel
Handle...AUS8A stainless-steel bolsters with Phenolic, and drilled for lanyard
Blade.....5 1/4 in. (13.4 cm) double-edged
Overall...9 1/2 in. (24.5 cm)
Weight...7.8 oz.
Includes leather boot sheath
Individually serial numbered

FIXED BLADE

Kershaw's water sports knives feature sturdy stainless-steel construction, yet their open-tang handle design cuts down on unnecessary weight. Both Sea Hunter models offer injection-molded handles with neon accents so they're easy to see in a marine environment. Both Sea Hunters and the Amphibian come with the Kershaw Diver's Sheath with quick-release buckles. You can attach the Diver's Sheath to a life vest lash tab, netting and a variety of webbing.

Fixed blade lovers will covet our classic Trooper or Military Knife with its quick-release sheath and multiple carry options. In the water or in the field, these specialty knives always offer an ideal combination of durability and functionality.

MILITARY KNIFE

Model 4351

Steel.....One-piece, drop-forged 1.4116 German stainless-steel
Handle...POM scales
Blade.....4 1/2 in. (11.5 cm)
Overall...9 in. (22.9 cm)
Weight...4.4 oz.
Includes multi-use sheath and strap system

ELECTRIC FILLET

ELECTRIC FILLET

Model 1260

Steel.....410 stainless-steel
Handle...Injected molded plastic
Blades A.....6 in. (15.3 cm)
Blades B.....8 in. (20.4 cm)
Handle...12 in. (30.5 cm)
Weight...22.1 oz.
Includes nylon storage bag

Specialty Tools for the Angler

Kershaw fillet knives always feature quality high-carbon stainless-steel blades with the ideal degree of flex for fast and easy filleting. So what could be better? Power. Plug our new Electric Fillet Knife into any standard outlet and glide through every fillet job. There are two blade sizes and the Electric Fillet even comes with a handy storage bag.

For electricity-free filleting, choose one of our fixed-blade fillet knives with sure-grip handles or the 7-Step Fillet Knife, which adjusts from 5 1/2 to 9 inches. For the ultimate in compact filleting, go for the Folding Fillet Knife. Pair any fillet with our compact and durable Skeeter Fly-Tying Scissors.

FISHING KNIVES

SKEETER I
FLY-TYING SCISSORS
Model 1210
Overall...4 1/4 in. (10.7 cm)
Weight....0.8 oz.

SKEETER II
FLY-TYING SCISSORS
(SERRATED)
Model 1215
Overall...4 1/4 in. (10.7 cm)
Weight....0.8 oz.

SEVEN-STEP
ADJUSTABLE
FILLET KNIFE
Model 1240
Steel.....420J2 stainless-steel
Handle...Non-slip injection-molded
Blade.....Adjust from 5 1/2 in. - 9 in.
(14.3 cm) - (23.0 cm)
Weight...3.2 oz.
Includes ABS sheath

FILLET KNIFE
Model 1257
Steel.....420J2 stainless-steel
Handle...Co-polymer
Blade.....7 in. (18.0 cm)
Overall...12 in. (30.5 cm)
Weight...3.5 oz.
Includes ABS sheath

FILLET KNIFE
Model 1259
Steel.....420J2 stainless-steel
Handle...Co-polymer
Blade.....9 1/4 in. (23.3 cm)
Overall...14 1/4 in. (36.6 cm)
Weight...3.8 oz.
Includes ABS sheath

FOLDING
FILLET KNIFE
Model 1256
Steel.....AUS6A stainless-steel
Handle...Co-polymer
Blade.....6 in. (15.3 cm)
Overall...13 1/8 in. (33.7 cm)
Weight...5.6 oz.
Includes spoon, lanyard hole



ANTELOPE HUNTER II

Model 1028

Steel.....AUS8A stainless-steel
Handle...Co-polymer
Blade.....3 5/8 in. (9.2 cm)
Overall...8 in. (20.3 cm)
Weight...3.6 oz.
Includes harness-leather sheath

BEAR HUNTER II

Model 1029

Steel.....AUS8A stainless-steel
Handle...Co-polymer
Blade.....4 1/2 in. (11.4 cm)
Overall...9 1/2 in. (24.4 cm)
Weight...5.3 oz.
Includes harness-leather sheath

ROUGHNECK

Model 1010

Steel.....AUS6A stainless-steel
Handle...Co-polymer
Blade.....6 1/4 in. (15.8 cm)
partially serrated top
Overall...11 1/8 in. (28.3 cm)
Weight...6.3 oz.
Includes harness-leather sheath

ELK SKINNER

Model 1014

Steel.....AUS6A stainless-steel
Handle...Co-polymer
Blade.....4 1/2 in. (11.4 cm)
with gut hook
Overall...9 1/2 in. (24.4 cm)
Weight...5.1 oz.
Includes harness-leather sheath

FOLDING FIELD

Model 1050

Steel.....AUS8A stainless-steel
Handle...phenolic and brass
Blade.....3 3/4 in. (9.5 cm)
Closed...4 3/4 in. (12.0 cm)
Weight...8.6 oz.
Includes harness-leather sheath

DEER HUNTER

Model 1030

Steel.....AUS8A stainless-steel
Handle...Phenolic & brass
Blade.....4 in. (10.3 cm)
Overall...8 1/4 in. (21 cm)
Weight...8.2 oz.
Includes harness-leather sheath

In the Field, It's Performance that Counts

Kershaw offers a wide selection of quality hunting knives built for top performance and durability. From our flagship Folding Field Knife and classic Deer Hunter to our hardworking and versatile Elk Skinner and Roughneck to the Antelope and Bear

ECHO

Model 1070C

Steel.....AUS8A stainless-steel, full tang
Handle...RealTree® Hardwoods HD Polyimide
Blade.....4 in. (10.2 cm)
Overall...8 5/8 in. (22 cm)
Weight...4.8 oz.
Includes RealTree® Hardwoods HD laminated leather sheath

KAPER

Model 2300

Steel.....AUS8A stainless-steel
Handle...Cocobolo wood
Blade.....3 1/8 in. (7.9 cm)
Overall...7 1/8 in. (18.2 cm)
Weight...2.0 oz.
Includes harness-leather sheath

MAJESTY

Model 2314

Steel.....AUS8A stainless-steel
Handle...Cocobolo wood
Blade.....3 1/4 in. (8.2 cm)
Overall...7 3/4 in. (19.7 cm)
Weight...5.2 oz.
Includes harness-leather sheath

Angled gut hook keeps your hands away from product while un-zipping

Finger notches for a variety of secure grips

HUNTING KNIVES

KAPER/MAJESTY COMBO

Model 2314-2

Steel.....AUS8A stainless-steel
Handle...Skeleton and Cocobolo wood
Blade.....3 1/8 in. (7.9 cm)
3 1/4 in. (8.2 cm)
Overall...7 1/8 in. (18.2 cm)
7 3/4 in. (19.7 cm)
Weight...6.4 oz.
Includes harness-leather sheath

Hunters with their ergonomic "hand print" design to our 3-D camouflaged Echo, Kershaw hunting knives have seen plenty of outdoor action. For hunters who prefer a classic, wood-handled knife, there's the Kaper and Majesty from custom knife maker Tom Veff. Whichever you choose, you can be sure that Kershaw hunting knives are designed for comfortable, efficient use and reliable performance.



TASKMASTER SHEARS

Model 1120

Overall...8 7/8 in. (22.5 cm)
Weight...5.1 oz.

FIRE STARTER

Model 1019

Steel.....Magnesium steel
Handle...Molded plastic
Shaft.....1 3/4 in. (4.6 cm)
Overall...3 1/8 in. (8.0 cm)
Weight...1.1 oz.

TROUT/BIRD KNIFE & SHEARS

Model 1120CB

Steel.....AUS6A stainless-steel
Handle...Co-polymer
Blade.....3 1/2 in. (9 cm)
Knife.....7 1/2 in. (19.3 cm)
Shears...8 7/8 in. (22.5 cm)
Weight...9.1 oz.
Includes harness-leather sheath

TASKMASTER SHEARS

Model 1120S

Overall...8 7/8 in. (22.5 cm)
Weight...5.1 oz.
Includes harness-leather sheath

ULTRA-TEK SHARPENER

Model 2535

Steel.....600 grit, diamond coated, oval shaft
Handle...6061-T6 aircraft aluminum
Shaft.....3 3/4 in. (9.6 cm)
Overall...9 1/2 in. (24.5 cm)
Weight...2.0 oz.

Outdoor Gear & Tools Built to Suit the Task

This handy collection of camp tools will help keep your campsite running efficiently. Our TaskMaster Shears are perfect for a wide variety of cutting chores and–for easy cleaning–the blades fully separate. The Ultra-Tek Sharpener will keep all your Kershaw blades in "shaving sharp" condition, while our magnesium Fire starter always strikes a spark–even in damp conditions. The Outcast Bush Knife is designed to cut through the toughest brush with ease and even comes with its own Kydex® sheath. Other durable

OUTCAST

Model 1079

Steel.....D2 tool steel with black Teflon® coating
Handle...Double-injection-molded Santoprene® (glass filled nylon)
Blade.....10 in. (25.4 cm)
Overall...16 in. (40.6 cm)
Weight...22.0 oz.
Includes Kydex® sheath

CAMP AX

Model 1018

Steel.....One-piece, drop forged high-carbon steel
Handle...Krayton
Blade.....3 1/2 in. (9.0 cm)
Overall...11 in. (27.8 cm)
Weight...14.5 oz.

UTILITY KNIFE

Model KER300

Steel.....2 standard replaceable blades
Handle...Injection molded Zytel®
Blade.....2 3/4 in. (7.0 cm)
Overall...7 1/4 in. (18.5 cm)
Weight...2.4 oz.

OUTDOOR GEAR

FOLDING SAW

Model 2550

Steel.....Swedish saw steel
Handle...Santoprene
Blade.....7 in. (17.6 cm)
Overall...16 in. (40.6 cm)
Weight...6.4 oz.

tools include our Camp Ax, compact Folding Saw, and our unique Utility Knife that offers a much more ergonomic grip than standard cutters.

DELUXE BLADE TRADER

Model 1099DBT

Steel.....420J2 stainless-steel, saw steel
Handles.....Co-polymer (two)
Cook's blade.....6 in. (15.2 cm)
Fish fillet blade...6 in. (15.2 cm)
Saw blade.....6 in. (15.2 cm)
Carving blade.....6 in. (15.2 cm)
Bread blade.....6 in. (15.2 cm)
Utility blade.....4 in. (10.2 cm)
Weight.....29.3 oz.
Includes black nylon storage case

Fit More Tools in Less Space with Blade Traders

Kershaw's Blade Trader technology provides the convenience of multiple, interchangeable blades and tools in a single handle. With the Blade Trader's exclusive Quik-Lock mechanism, you can quickly, easily, and safely trade blades and tools–in seconds. The quality steel used to make each blade or tool is matched to its specific use.



CAMP TOOL TRADER

Model 1091CT

Steel.....420J2 stainless-steel, saw steel
Handles.....Co-polymer (two)
Cook's blade.....6 in. (15.2 cm)
Fish fillet blade...6 in. (15.2 cm)
Saw blade.....6 in. (15.2 cm)
Spatula.....3 5/8 in. (9.2 cm
Spoon.....3 5/8 in. (9.2 cm
Fork.....3 in. (7.5 cm
Cutting board.....10 3/4" x 8"
(27.3 cm x 20.3 cm)
Weight.....48.9 oz.
Includes Hunter green case

Each non-slip Blade Trader handle is designed to reduce hand fatigue. All Blade Traders also include a handy storage system. There are six different Blade Trader sets–from combinations for hunters and fishermen to our campsite-ready Camp Tool Trader that includes two Blade Trader handles for extra convenience around the camp stove.

HUNTER'S BLADE TRADER

Model 1094HBT

Steel.....420J2 stainless-steel, saw steel
Handle.....Co-polymer
Hunting blade.....3 1/2 in. (9.0 cm)
Saw blade.....6 in. (15.2 cm)
Weight.....9.2 oz.
Includes black nylon sheath



SPORTSMAN'S BLADE TRADER

Model 1095SBT

Steel.....420J2 stainless-steel, saw steel
Handle.....Co-polymer
Hunting blade.....3 1/2 in. (9.0 cm)
Saw blade.....6 in. (15.2 cm)
Fillet blade.....6 in. (15.2 cm)
Weight.....13.1 oz.
Includes black nylon sheath

ALASKAN BLADE TRADER

Model 1098AK

Steel.....AUS6A stainless-steel (gut hook), 420J2 stainless-steel (hunting), saw steel (saw)
Handle.....Co-polymer
Gut hook blade....6 in. (15.2 cm)
Hunting blade.....3 1/2 in. (9.0 cm)
Saw blade.....6 in. (15.2 cm)
Weight.....11.6 oz.
Includes harness-leather sheath

FISHERMAN'S BLADE TRADER

Model 1096FBT

Steel.....420J2 stainless-steel
Handle.....Co-polymer
Fillet blade.....7 in. (18.0 cm)
Fillet blade.....9 in. (22.9 cm) partially serrated
Weight.....8.9 oz.
Includes black nylon sheath

TWO CAN
Model 1001JEEP
Steel.....420J2 stainless-steel
Handle.....303 stainless-steel
Blade.....1 1/2 in. (3.5 cm)
Scissors...1 1/8 in. (2.9 cm)
Closed.....2 3/4 in. (7.0 cm)
Weight.....0.9 oz.

Scissors configuration



Knife configuration



TWO CAN
Model 1001BLK
Steel.....420J2 stainless-steel
Handle.....anodized aluminum
Blade.....1 1/2 in. (3.5 cm)
Scissors...1 1/8 in. (2.9 cm)
Closed.....2 3/4 in. (7.0 cm)
Weight.....0.9 oz.

TWO CAN
Model 1001
Steel.....420J2 stainless-steel
Handle.....303 stainless-steel
Blade.....1 1/2 in. (3.5 cm)
Scissors...1 1/8 in. (2.9 cm)
Closed.....2 3/4 in. (7.0 cm)
Weight.....0.9 oz.

TWO CAN
Model 1001BL
Steel.....420J2 stainless-steel
Handle.....anodized aluminum
Blade.....1 1/2 in. (3.5 cm)
Scissors...1 1/8 in. (2.9 cm)
Closed.....2 3/4 in. (7.0 cm)
Weight.....0.9 oz.

TWO CAN
Model 1001RD
Steel.....420J2 stainless-steel
Handle.....anodized aluminum
Blade.....1 1/2 in. (3.5 cm)
Scissors...1 1/8 in. (2.9 cm)
Closed.....2 3/4 in. (7.0 cm)
Weight.....0.9 oz.

Compact, Versatile, Multi-Functional Tools

CARABINER TOOL

The unique Kershaw Two Can is a combination knife and scissors tool. The patent-pending tool features two blades that can be used separately or together. Open one blade and use the Two Can like any pocketknife. But when only a pair of scissors will get the job done, open the Two Can's second blade and you've got an easy-to-use pair of scissors.

Another versatile tool is Kershaw's patented, five-in-one Carabiner. You get a knife blade, flat-head screwdriver, Phillips-head screwdriver, bottle opener and carabiner. The carabiner clips the tool to vest, backpack, or belt loop with ease. Kershaw Carabiners come in three colors, while the National Geographic model comes in two sizes and materials.

06



CARABINER TOOL

Model 1004SL

Steel.....AUS6A stainless-steel
Handle....Teflon® coated aluminum
Blade.....3 1/4 in. (8.1 cm)
Closed...4 1/8 in. (10.4 cm)
Weight...2.7 oz.

JEEVA

Model 1003

Steel.....AUS6A stainless-steel
Liner.....420J2 stainless-steel
Frame....Injection molded
Blade.....2 1/4 in. (5.7 cm)
Closed...3 1/4 in. (8.4 cm)
Weight...1.3 oz.

CARABINER TOOL

Model 1004BL

Steel.....AUS6A stainless-steel
Handle....Teflon® coated aluminum
Blade.....3 1/4 in. (8.1 cm)
Closed...4 1/8 in. (10.4 cm)
Weight...2.7 oz.

JEEVA

Model 1003YL

Steel.....AUS6A stainless-steel
Liner.....420J2 stainless-steel
Frame....Injection molded
Blade.....2 1/4 in. (5.7 cm)
Closed...3 1/4 in. (8.4 cm)
Weight...1.3 oz.

NATIONAL GEOGRAPHIC TOOL

Model 1004

Steel.....AUS6A stainless-steel
Frame....Aluminum alloy
Blade.....3 1/4 in. (8.1 cm)
Closed...4 1/8 in. (10.4 cm)
Weight...2.7 oz.

CARABINER TOOL

Model 1004RD

Steel.....AUS6A stainless-steel
Handle....Teflon® coated aluminum
Blade.....3 1/4 in. (8.1 cm)
Closed...4 1/8 in. (10.4 cm)
Weight...2.7 oz.

NATIONAL GEOGRAPHIC™

Blade Magazine's Most Innovative Import Knife of the Year

© 2006 National Geographic Society, NATIONAL GEOGRAPHIC and Yellow Border are trademarks of National Geographic Society.
All rights reserved, www.nationalgeographic.com

TROUT/BIRD KNIFE & SHEARS

Model 1120CBTF

Steel.....AUS6A stainless-steel
Handle...Co-polymer
Blade.....3 1/2 in. (9 cm)
Knife.....7 1/2 in. (19.3 cm)
Shears...8 7/8 in. (22.5 cm)
Weight...9.1 oz.
Includes harness-leather sheath

ECHO

Model 1070CTF

Steel.....AUS8A stainless-steel, full tang
Handle...Polyimide with RealTree® Hardwoods HD
Blade.....4 in. (10.2 cm)
Overall...8 5/8 in. (22 cm)
Weight...4.8 oz.
Includes RealTree® (Hardwoods HD) laminated leather sheath

KAPER

Model 2300TF

Steel.....AUS8A stainless-steel
Handle...Cocobolo wood
Blade.....3 1/8 in. (7.9 cm)
Overall...7 1/8 in. (18.2 cm)
Weight...2.0 oz.
Includes harness-leather sheath

WILD TURKEY

Model 4150TF

Steel.....AUS6A stainless-steel
Handle...Satin-finished bolsters with rosewood inlay
Blade.....3 1/8 in. (7.9 cm)
Closed...3 7/8 in. (10.0 cm)
Weight...2.2 oz.

SCALLION

Model 1620CTF

(Camouflage)

Steel.....420HC stainless-steel
Handle...6061-T6 anodized-aluminum with RealTree® Hardwoods HD
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

TWO CAN

Model 1001JEEP

Steel.....420J2 stainless-steel
Handle...303 stainless-steel
Blade.....1 1/2 in. (3.5 cm)
Closed...2 3/4 in. (7.0 cm)
Weight...0.9 oz.

LEK

Model 1700JEEP

Steel.....AUS6A stainless-steel
Handle...anodize aluminum
Blade.....2 1/8 in. (5.4 cm)
locking liner
Closed...3 in. (7.6 cm)
Weight...1.1 oz.

LEEK

Model 1660JEEP

(Haystack Rock)

Steel.....440A stainless-steel
Handle...6061-T6 anodized-aluminum
Blade.....3 in. (7.5 cm)
Closed...4 in. (10.3 cm)
Weight...3.1 oz.

SCALLION

Model 1620JEEP

(Rubicon Trail)

Steel.....420HC stainless-steel
Handle...6061-T6 anodized-aluminum
Blade.....2 1/4 in. (5.8 cm)
Closed...3 1/2 in. (8.4 cm)
Weight...2.3 oz.

CHIVE

Model 1600JEEP

(Cracked Mud)

Steel.....420HC stainless-steel
Handle...6061-T6 anodized-aluminum
Blade.....1 15/16 in. (4.9 cm)
Closed...2 7/8 in. (7.3 cm)
Weight...1.9 oz.

For Kershaw & Partners, Teamwork Works

Kershaw is proud to join forces with other fine organizations and companies to bring you a variety of quality tools–tools that serve a greater purpose. For instance, Kershaw has teamed up with the National Wild Turkey Federation to offer five different hunting knives and sets, each emblazoned with the handsome National Wild Turkey Federation logo. A portion of the proceeds from each sale benefits the Federation.

Kershaw is also manufacturing a selection of knives and tools exclusively for Jeep®. Each offers Kershaw's renowned technology and performance paired with Jeep's rugged style, quality–plus the popular Jeep logo.

Jeep

HAT

Model HAT2

Heavy-duty tan with leather patch Kershaw logo

HAT

Model HAT1

Heavy-duty black with red Kershaw logo

BAG

Model Z997

Double zipper case comes with 26 padded knife pockets and carry straps. Includes two 8 pocket removable center sections. Ideal for carrying multiple knives.

SHIRT

Model SHIRT1

100% cotton, machine washable black sport shirt with Kershaw logo embroidery. Available in M, L, XL & XXL.

Kershaw Gear & Accessories

Protect your investment in Kershaw quality with one of our handsome, easy-carry sheaths. Choose heavy-duty nylon or harness leather. Sheaths fit any of the Kershaw knives listed with each model. Or choose our heavy-duty nylon multiple knife carrying case.

And protect your Kershaw pride with some of our top-quality Kershaw apparel. Choose from baseball caps in two styles and colors, our heavy-duty, logo embroidered shirt.

SHEATHS



NYLON

Model 3120E

Fits Kershaw models:

- 1045A, 1570, 1570ST, All 1620's, 1640, 1640ST, 2420, 2420ST, 3120
- Mounts vertically or horizontally on your belt

NYLON

Model 1060E

Fits Kershaw models:

- 1060A, 1550, 1550ST, 1560, 1560ST 1580, 1580ST, 1650, 1650ST, 3140
- Mounts vertically or horizontally on your belt

LEATHER

Model 1050L

Fits Kershaw models:

- 1060, 1050, 1550, 1550ST, 1560, 1560ST, 1580, 1580ST, 1650, 1650ST, 3140

NYLON

Model 1060EGH

Fits Kershaw models:

- 1550, 1550ST, 1560, 1560ST, 1580, 1580ST, 1650, 1650ST

2002 2004

Shun Ken Onion Chef's Knife.

CHEF'S
Model DM0500
Blade.....8"(20.3cm)
Weight...9.2 oz.

This knife deserves special treatment—and it gets it. The Ken Onion Shun comes complete with its own bamboo stand that not only protects its fine-honed edge, but also displays this handsome knife to perfection.

2005 Blade Magazine's Kitchen Knife of the Year

Kai USA ltd. is also known for producing high end kitchen cutlery under the Shun brand name and is also available from Kershaw's state-of-the-art 55,000 sq. ft. facility located in Tualatin, Oregon, a suburb of Portland. Please contact us for a catalog at 800.325.2891 or visit our website at www.kershawknives.com.

STEEL CHART

STEEL	CARBON	CHROMIUM	COBALT	COPPER	MANGANESE	MOLYBDENUM	NICKEL	NITROGEN	PHOSPHORUS	SILICON	SULPHUR	TUNGSTEN	VANADIUM	HRC
A-2	0.95-1.05	4.75-5.50	-	-	1.00	0.90-1.40	0.30	-	-	0.50	-	-	0.15-0.50	57-62
D-2	1.40-1.60	11.00-13.00	-	-	0.60	0.70-1.20	0.30	-	-	0.60	-	-	1.10	57-61
M-2	0.95-1.05	3.75-4.50	-	-	0.15-0.40	4.75-6.50	0.30	-	-	0.20-0.45	-	5.00-6.75	2.25-2.75	60-65
5160	0.56-.64	0.70-0.90	-	-	0.75-1.00	-	-	-	0.035	0.15-0.30	-	-	-	57-60
420	0.15	12.00-14.00	-	-	1.00	-	-	-	0.04	1.00	0.03	-	-	52-56
420 MODIFIED	0.40-0.50	12.00-14.00	-	-	0.80	0.60	-	-	0.05	1.00	0.02	-	0.18	54-56
425 MODIFIED	0.40-0.54	13.50-15.00	-	-	0.50	0.60-1.00	-	-	0.035	0.80	0.03	-	0.10	56-60
440A	0.65-0.75	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	55-57
440B	0.75-0.95	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	57-59
440C	0.95-1.20	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	58-60
AUS6A	0.55-0.65	13.00-14.50	-	-	1.00	-	0.49	-	0.04	1.00	0.03	-	0.10-0.25	57-58
AUS8A	0.70-0.75	13.00-14.50	-	-	0.50	0.10-0.30	0.49	-	0.04	1.00	0.03	-	1.10-0.26	58-59
AUS-10	0.95-1.10	13.00-14.50	-	-	0.50	0.10-0.31	0.49	-	0.02	1.00	0.03	-	0.10-0.27	59-60
GIN-1	0.90	15.50	-	-	0.60	0.30	-	-	0.03	0.37	0.03	-	-	58-60
ATS-34	1.05	14.00	-	-	0.40	4.00	-	-	-	0.35	0.02	-	-	59-61
154CM	1.05	14.00	-	-	0.50	4.00	-	-	-	0.30	-	-	-	59-61
ATS-55	1.00	14.00	0.40	0.20	0.50	0.60	-	-	0.03	0.40	-	-	-	60-62
VG-10	0.95-1.05	14.50-15.50	1.30-1.50	-	0.50	0.90-1.20	-	-	-	0.60	-	-	0.10-0.30	60-62
BG-42	1.15	14.50	-	-	0.50	4.00	-	-	-	0.30	-	-	1.20	61-63
CPM S30V	1.45	14.00	-	-	-	2.00	-	0.20	-	-	-	-	4.00	57-59
CPM S60V	2.10	17.00	-	-	0.40	0.40	-	-	-	0.40	-	-	5.50	55-57
CPM S90V	2.30	14.00	-	-	-	1.00	-	-	-	-	-	-	9.00	56-58
CPM 10V	2.45	5.25	-	-	0.50	1.30	-	-	-	0.90	0.07	-	9.75	56-58
CPM 3V	0.80	7.50	-	-	-	1.30	-	-	-	-	-	-	2.75	58-60
SANDVIK 13C26	0.68	13.00	-	-	-	0.70	-	-	0.025	0.40	0.01	-	-	57-59

1974 1978 1982 1986 1990 1994

POP-UP DISPLAYS
(23.5 in x 82 in)

Left to Right

A. Model BANNER 1004

B. Model BANNER 1660VIB

C. Model BANNER 1257

D. Model BANNER 1098AK

P.O.P. DISPLAY
Model M3 TOP
- Three sided display case mounts on top of storage unit or store counter
- Magnetic and plastic clip systems to securely display knives

Model M3 BOTTOM
- Both units lock to secure inventory
- Dimensions:
  Top— 23 1/4" W x 25" D
  21 1/2" H
  Bottom— 20 1/2" W x
  20 1/2" D x 39" H
- Weight:
  Top—49 pounds
  Bottom—79 pounds

DISPLAY BANNER
Model SMBANNER

DISPLAY SHELF
Model D-SHELF
- Using the suction cups, the shelf mounts on the under side of the glass top of a store display counter

The Kershaw Removable Display Case Shelf is covered by issued and pending patents, including the following patent: D352,131.

P.O.P. DISPLAY
(single sided)
Model DISPLAYK1
- Locking case rests on counter top, mounts on pegboard, or slat wall

- Magnetic and plastic clip systems to securely display knives
- Dimensions:
  18" W x 20" D x 6" H
- Weight: 15 1/2 pounds

Sales-Generating Support

Sell more quality Kershaw products when you use these eye-catching displays. Each Kershaw display is built of high-quality, durable materials and enables you to display a variety of Kershaw products to your customers. From our large pop-up banners or floor model display

P.O.P. DISPLAYS

Model DISPLAYPOPSS1004

Model DISPLAYPOPET

Model DISPLAYPOPSS1600

Model DISPLAYPOPSS1620

Model DISPLAYPOPSS

Model DISPLAYPOPSS2

Model DISPLAYPOPSS1660

Model DISPLAYSK1

Model DISPLAYWK3

Model DISPLAYSE3

stand to our smaller countertop displays that hold a single knife, we have the perfect display to suit your needs.

Whichever one you choose, you'll appreciate the convenience and sales-generating power of these handsome displays.

LIABILITY DISCLAIMER

Kershaw Knives are intended and sold for legitimate sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of local laws and regulations. Certain knife styles, blade designs, and blade lengths are not allowed in specific areas. In light of recent events involving national security, knives may not be permitted in government buildings or on government property (such as court houses, federal offices, national monuments, and airports), and government officials may take the position that knives are "weapons" under applicable laws. Due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives, to be aware of every restriction in every location in which our knives may be sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kershaw Knives, are solely responsible for any claims resulting from violation of these laws and/or regulations.

Kershaw products are made in the USA, Japan, Canada, Taiwan, Mexico, Sweden and China as indicated on the product.

We reserve the right to change specifications, materials, or discontinue products at any time without notice.

LIMITED LIFETIME WARRANTY

Kershaw products are guaranteed for the lifetime of the original owner to be free of defects when received from the factory. Any product we find to be defective in its original material, construction, or workmanship will be repaired or replaced with the same item or one of equal value at no charge. (Of course, normal wear, abuse such as prying with the knife, or neglect are excluded from this non-transferable warranty.) For warranty service, please return product via UPS or insured mail. Include your name, address, telephone number, proof of purchase (sales slip), and a short explanation of the warranty service requested to the address below. Please allow 4-6 weeks for delivery.

Kershaw Knives, Inc.
Attn: Warranty Department
18600 SW Teton Avenue
Tualatin, OR 97062

kershaw®
KNIVES

KAI
kai USA ltd.

18600 SW Teton Avenue. • Tualatin, OR 97062
Toll Free: 800.325.2891 • www.kershawknives.com